A

ASSISTANT COMMISSIONER FOR PATENTS PATENT APPLICATION

Sington, D.C. 20231

DOCKET NO.YOR920000674US1
Date: September 28, 2000

09/672363

masmitted herewith for filing is the Patent Application of:

Inventors:

JUHNYOUNG LEE

For:

l'Li

BUSINESS METHOD AND USER INTERFACE FOR PRESENTING BUSINESS ANALYSIS INFORMATION SIDE-BY-SIDE WITH PRODUCT PAGES OF AN ONLINE STORE

Enclosed are:

- X 12 Sheets of Informal Drawings.
- X An assignment of the invention to International Business Machines Corporation, Armonk, New York 10504.

A certified copy of a _____ application.

Executed Declaration and Power of Attorney is attached to the application.

Associate Power of Attorney.

Information Disclosure Statement with form PTO-1449 with references attached.

The filing fee has been calculated as shown below:

1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (ı	l	(Co	01.	1)	(Co	01. 2)
FOR:		NO.	FII	LED		NO.	EXTRA
BASIC H	FEE						
TOŢAL (CLAIMS	26	5 –	20	=		6
INDEP (CLAIMS	2	2 –	3	=		0
MULTIPLE DEPENDENT CLAIM PRESENTED							

If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

OTHER	THAN A
SMALI	. ENTITY

RATE				FEE		
				\$	690.00	
х	\$	18	=	\$	108.00	
х	\$	78	=	\$	0.00	
+	\$	26	0=	\$	0.00	
		TO'	TAL	\$	798.00	

- \underline{x} Please charge my Deposit Account No. $\underline{09-0468}$ in the amount of \$ $\underline{798.00}$.
- x The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 09-0468. A duplicate copy of this sheet is enclosed.
 - x Any additional filing fees required under 37 CFR 1.16.
 - x Any patent application processing fees under 35 CFR 1.17.

Respectfully submitted,

Louis J. Percello

Registration/No.: 33,206

Tel. (9√4)9⁄45-3145

IBM CORPORATION
INTELLECTUAL PROPERTY LAW DEPT.
P.O. BOX 218
YORKTOWN HEIGHTS, NY 10598

Express Label EL600330754US Date of Deposit: Sept. 28, 2000

15

BUSINESS METHOD AND USER INTERFACE FOR PRESENTING BUSINESS ANALYSIS INFORMATION SIDE-BY-SIDE WITH PRODUCT PAGES OF AN ONLINE STORE

FIELD OF THE INVENTION

This invention relates to shopping over a computer network. More specifically, the invention relates to shopping over the Internet where merchants and/or business analysts of an online store can examine the analysis data of individual components of their store such as products, product pages and hyperlinks side-by-side with Web pages presenting the components.

BACKGROUND OF THE INVENTION

Commerce over networks, particularly e-commerce over the Internet, has increased significantly over the past few years. Part of e-commerce enables users/customers to access information of products and to purchase them from various commercial Web sites (i.e. online stores). There are numerous online stores currently operating in the Internet including: Amazon.com, eToys.com, Buy.com, Wal-Mart.com, LLBean.com, and Macys.com. These online stores provide various customer services to make commerce activities possible over Web sites. Some of the examples of the basic services are catalogs of merchandise which are both browsable and searchable by various product attributes (e.g., keyword, name, manufacturer, and model number), shopping carts, and

5

checkout process. Some online stores also provide advanced customer services such as wish lists, gift registries, calendars, custom-configuration of products, buyer's groups, chatting, e-mail notification, and in-context sales.

Any Web site owner, any online merchant needs to know whether the Web site or online store effectively serves its intended purpose; that is, how many shoppers visit the Web site, who these shoppers are, what they want, and what they do at the store while they are there. The ability to analyze and understand traffic flow, the way shoppers navigate from page to page in a store, and the effectiveness of various components in an online store such as products, product pages, hyperlinks, Web design features, and customer services, is critical for successful product marketing and sales. Recommendations for improving the effectiveness of online store can be created and implemented based on the analysis results.

PROBLEMS WITH THE PRIOR ART

Much work has recently been done for analyzing and reporting on Web traffic and online store effectiveness, and a number of commercial products for analyzing and reporting on online store performance are available. One of the problem with the prior art is that it is usually difficult to understand and directly use the analysis result to update the online store, because their presentation of the analysis result is disconnected from the actual online store presentation. That is, the analysis result from the prior art tools is presented separately from the online store presentation by a different software tool. Hence it is the task of the online merchants and/or

business analysts to connect the analysis results with the actual components (i.e., products, product pages, hyperlinks, applications and Web design features) of online stores and make appropriate recommendations for improving the effectiveness of the online store.

OBJECTS OF THE INVENTION

An object of this invention is an improved system and method for analyzing and reporting on the effectiveness of various components of an online store over a network.

An object of this invention is an improved system and method for analyzing and reporting on the effectiveness of various components of an online store over a network that provides an analysis data window side-by-side with the Web browser program while presenting one or more products in the Web browser program.

An object of this invention is an improved system and method for analyzing and reporting on the effectiveness of various components of an online store over a network that provides an analysis data window side-by-side with the Web browser program while presenting one or more products in the Web browser program, and at the same time presenting the analysis data of individual components displayed in product pages in the analysis data window.

An object of this invention is an improved system and method for analyzing and reporting on the effectiveness of various components of an online store over a network that provides an analysis

5

data window side-by-side with the Web browser program while presenting one or more products in the Web browser program, at the same time presenting the analysis data of individual components displayed in product pages in the analysis data window, and starting the analysis data window automatically by identifying the Web page requester's status.

An object of this invention is an improved system and method for analyzing and reporting on the effectiveness of various components of an online store over a network that provides an analysis data window side-by-side with the Web browser program while presenting one or more products in the Web browser program, at the same time presenting the analysis data of individual components displayed in product pages in the analysis data window, starting the analysis data window automatically by identifying the Web page requester's status, and updating the analysis data according to the product page displayed in the Web browser program.

SUMMARY OF THE INVENTION

The present invention is a computer interface to an online store that is also used in a business method. The interface has one or more product pages that have product information about one or more products. The product information is obtained from the online store. An analysis data window is presented concurrently with and in proximity to the respective product page. The analysis data window has analysis data about the effectiveness of the respective product page. In a preferred embodiment, the type of analysis data is determined by a type (class) of analyst that uses

the interface. A method of doing business uses the interface to determine the effectiveness of and improve various information presented on the product page.

BRIEF DESCRIPTION OF THE FIGURES

The foregoing and other objects, aspects, and advantages will be better understood from the following non limiting detailed description of preferred embodiments of the invention with reference to the drawings that include the following:

Figure 1 is a block diagram of one preferred system architecture.

Figure 2 is a flow chart of a preferred business process.

Figure 2A is a flow chart of a preferred process of identifying user class.

Figure 3 is an example of a prior art product catalog of an online store.

Figure 4 is a screen shot showing a product page with its analysis data window.

Figure 4A is a flow chart of a preferred process of automatically perusing multiple product pages

Figure 5 is a block diagram showing an analysis window of a product.

Figure 6 is a block diagram showing analysis data on a product.

Figure 7 is a block diagram showing analysis data on a product page.

Figure 8 is a block diagram showing analysis data on components of a product page.

Figure 9 is a block diagram showing a product table.

Figure 10 is a block diagram showing a product page table.

DETAILED DESCRIPTION OF THE INVENTION

Figure 1 (100) is a block diagram of one preferred system architecture showing one or more users (101), one or more computers (102) used by the users (101), one or more Web browser programs (103) used by the users (101), one or more analysis data windows (500) shown to the users (101), a computer network (130), one or more online stores (110) connected to the computer network (130), one or more Web server systems (111) of the online stores, one or more user identifier programs (112) of the online stores, one or more data collector systems (113) of the online stores, one or more database systems (120) of the online stores, one or more product tables (900) of the online stores, and one or more product page tables (1000) of the online stores.

5

The users (101) are the merchants and/or business analysts of the online store (110). When a user (101) intends to review and/or analyze the products and product pages of his/her online store (110) by using this invention, he/she starts a Web broswer program (103) in his/her computer (102) and visits his/her online store (110) in the computer network (130). In a preferred embodiment, online stores are implemented with a Web server system (111) which receives Web page requests (105) from users (101) and sends out requested Web pages (106) back to the users (101). For this communication, Web browser programs (103) and Web server systems (111) typically use HTTP (HyperText Transfer Protocol) which is a network protocol defined for that purpose.

A user (101) navigates his/her online store (110), i.e., requests Web pages over the network (130) and browses Web pages which provide information of one or more products sold in the store. A Web page that provides information about one or more products is referred to as a product page. When a user (101) requests a product page, the Web server (111) of the online store (110) retrieves the information of the selected product from the product table (900) stored in the database system (120), dynamically constructs a Web page by using the product information, and sends the created product page to the user (101). A collection of product pages provided by an online store is typically referred to as online product catalog. An example of a prior art product catalog of an online store will be described in Figure 3 (300). The current invention presents an analysis data window (500) which automatically pops up when a user (101) browses a product page of his/her online store (110) and shows various analysis data of the product page, one or products presented in the product page, and one or more Web design components presented in the product page.

20

5

Figure 2 (200) is a flow chart of a preferred business process showing how the analysis data window (500) can help users (101) examine product pages and their components along with analysis data associated with them in a single computer screen. First (202), a user (101), i.e., a merchant or business analyst of an online store starts a Web browser program (103) in his/her computer (102) to examine one or more product pages in his/her online store (110) in the Internet (130). It is assumed that the online store (110) provides the analysis data window service which is the subject of this invention. The user (101) sends a Web page request (105) to the Web server system (111) of the online store (110) to receive a product page he/she wants to examine (203). The Web server system (111) of the online store (110) retrieves necessary product data from the product table (900) from the database (120) and generates the requested product page (204).

In the meantime, the Web server system (111) of the online store (110) finds if the user (101) is a merchant and/or business analyst of the online store (205). For this, the online store uses a user identifier module (112) which works as part of the Web server system (111) and identifies senders of Web page requests (105) by examining the "cookie" value of the sender. A cookie is a piece of information shared between a user's Web browser (103) and a Web server (111), originating as a message sent by a Web server to the Web browser visiting the server's site, subsequently stored in a text file on the user's hard drive, and sent back to the server each time the browser requests a page from the server. If the Web server (111) finds that the user (101) who made the Web page requests is indeed a merchant and/or business analyst of the online store, it retrieves analysis data from the product table (900) and the product page table (1000) from the database (120) and generates an analysis data page associated with the request product page (206). The Web server

20

5

(111) sends the requested product page and associated analysis data page together back to the user (207).

In the user's computer (102), the product page is displayed in the Web browser (103). At the same time, the associated analysis data page is presented in the analysis data window (500). When the user first starts the Web browser program (103), the analysis data window (500) is initially not started. When the user receives the first requested product page, the analysis data window (500) is automatically started, is placed beside the Web browser (103), and displays analysis data associated with the product page presented in the Web browser (208). Therefore, the user (101) can examine the product page and it components along with various analysis data associated with them side-by-side in a single computer screen (209), and understand the effectiveness of individual Web pages and their components with ease (210). Whenever the user (101) requests a product page of the online store, corresponding analysis data is also generated and presented together with the product page. Examining product page and associated analysis data together, the user (101) can make a list of recommendations on the examined product pages and their components to improve the effectiveness and the revenue of the online store (211). The recommendations by the user (101) can be implemented by Web designers and developers in various of channels and processes of the online store's marketing and merchandising efforts including Web pages of the online store.

The analysis data is collected and processed by the data collector module (113) of the online store (110) and is stored in the product table (900) and the product page table (1000) in the database (120). System and method for collecting and processing the analysis data of online store has

20

5

general applications in the analysis of Web site performance and is further described and claimed in U.S. Patent Application Serial Number 09/238,861, entitled A SYSTEM AND METHOD FOR COLLECTING AND ANALYZING INFORMATION ABOUT CONTENT REQUESTED IN A NETWORK (WORLD WIDE WEB) ENVIRONMENT, filed on January 27, 1999, which is herein incorporated by reference in its entirety.

Figure 2A (250) is a flow chart of a preferred process of identifying user class showing how the user identifier module (112) finds if the user who makes a request (105) of a product page (115) is an analyst of the online store. One preferred method is to use "cookies". A cookie is a piece of information shared between a user's Web browser and a Web server, originating as a message sent by a Web server (111) to the Web browser (103) visiting the server's site, subsequently stored in a text file on the user's hard drive, and sent back to the server each time the browser requests a page from the server. A cookie can store information about user class, and that piece of information can be used by the user identifier module (112) as described in this flow chart. When the Web server (111) of an online store (110) receives a request (105) from a user (101), it extracts "cookie" from the request as cookies are attached to user requests and then passes the cookie to the user identifier module (252). The user identifier module (112) which runs as an application on top of the Web server (111) extracts from the cookie the user information field (253). The user information field can have various information about the user who made the request (105) and have several subfields for each individual piece of information. The user information in the cookie includes user name, password, user class, customer number, among others. Some of them may be encrypted for a security reason. The user identifier module (112) extracts the user class subfield from the cookie, and decode the information if necessary (254).

5

The user class subfield provides the information about the user class. If the user is a customer of the store, the field specifies "customer". If the user is an administrator, marketer, merchandiser, Web designer, or owner of the online store, the user class field specifies so. If the user is an analyst, the field specifies so. This user class information is initially determined at the time of user registration and stored in the online store's user database. Later, it is retrieved from the database and inserted into cookie, as the user starts using the online store.

Until now, this invention focuses on provision of analysis data in a separate window as users (analysts) browses product pages of an online store one by one. We assume that analysts of an online store are interested in perusing analysis data along with corresponding product pages. Likewise, different user classes may be interested in viewing different types of data along with product pages. For example, marketers and merchandisers of an online store may want to review how their marketing and merchandising-related efforts are presented in product pages and what result they produced. Web designers may want to review how changes to product pages are presented and what effect they made. Because it is possible (1) to store the user class information in cookies, and also because for the user identifier module (112) to identify user class by using that piece of information, we can extend this invention to provide different sets of auxiliary information in a separate window to different classes of users. This invention is perfected by the fact that the data collector module (113) can be adjusted to collect various sets of information from the served Web pages that may be interesting to various classes of users as well as to store analysts. System and method for collecting and processing various analysis data of online store is further described and claimed in U.S. Patent Application Serial Number 09/238,861, which was cited earlier.

15

20

5

Figure 3 (300) is an example of a prior art product catalog of an online store and its structure showing Home page (301), Product category A (310), Product category B (320), Product P1 (330) which is promoted in the Home page (301), Search (340) and Search Result page (341), Product A1 (311) and A2 (312) which belong to product category A (310), Product B1 (321), B2 (322) and B3 (323) which belong to product category B (320), Shopping basket page (350), Purchase page (351), and Thank you page (352). An arrowhead line between two boxes in the figure means that there is a link from the source page to the destination page so that a shopper can directly access the destination page from the source page. That is, a Web page contains hyperlinks in it to all the destination pages which are accessible from this page. For example, Product P1 page (330) is directly accessible from Home page (301), but not from Product A1 page (311). Also, Home page (301) contains hyperlinks to four different Web pages, Product category A (310), Product category B (320), Product P1 (330), and Search page (340). Product P1 page (330) contains only one hyperlink to Basket page (350). Note that Search Result page (341) is a dynamic page whose content changes based on the keywords used in the Search page (340). The Search Result page (341) can contain zero or more hyperlinks to product pages in addition to a hyperlink to Basket page (350). Product catalogs of online stores (110) comprises many product pages, each product page presenting only a small set of products, e.g., one or a few which tend to belong to the same or similar product category. Hence shoppers usually need to browse multiple pages to find information about one or more products of interest.

Figure 4 (400) is a screen shot of a computer screen (102) showing a product page with its analysis data window. As explained earlier, a product page is displayed in the Web browser

20

5

program (103) while analysis data associated with the displayed product page is shown in the analysis data window (500). An analysis data window (500) is placed side-by-side with the Web browser (103) in the computer screen (102), so that the users (101) can examine the analysis data of product pages with ease. A product page presents one or more products and their information including the product name, one or more images of the product, product price, one or more description of the product, and one or more attributes of the product. Also, a product page presents one or more supporting features such as search, registration and express checkout. In addition, a product page provides one or more hyperlinks to shopping carts and other related product pages and categories.

Figure 4A is a flow chart of a preferred process of automatically perusing multiple product pages. Until now, this invention describes that the user, i.e., store analyst (101) uses Web browser (103) to view one or more product pages along with their analysis data. A store analyst needs to browse the store frequently to understand the performance of the store, individual product categories, and individual products. When the number of products presented and sold in the store is large, the process of manually browsing product pages and analysis data on Web browser (103) becomes inefficient. Figure 4 describes a software program called *product page peruser* that can help the situation by automatically reviewing multiple product pages and their analysis data based on a given set of criteria, and presenting one or more subsets of product pages that may be of particular interest to the user, i.e., store analyst.

When the product page peruser program starts (452), it provides a user interface which the user (101) can use to specify various criteria for selecting interesting product pages (453). The criteria

20

5

for product page selection can be diverse. The user can specify one or more particular changes in count measures (602) and sales measures (604) for one or more particular dimensions (601), e.g., period of time, customer profile, merchandising cues and shopping metaphors. Also the user can specify one or more sets of product pages updated since a particular point of time, to review the effect of the changes to count and sales measures.

Once criteria for product page selection is given, the product page peruser program automatically downloads individual product pages from the online store along with their analysis data (454). The downloading of analysis data is possible because the peruser program inherits the user class information of the user as an analyst. The peruser program parses the content of the downloaded product page and its analysis data to determine if the page meet the criteria given by the user in the previous step (455). This product page selection can be done as background process, while the user uses his/her computer for other purposes.

When the peruser program completes the selection process, it creates a list of selected product pages with their analysis data summary and hyperlinks that can be used to retrieve the product pages on the Web browser (456). The peruser program presents the list to the user (457), and the user reviews the list to determine product pages of interest by viewing the analysis data summary presented together (458). When the user want to view one or more product pages from the given list, the user simply clicks on the corresponding hyperlinks given in the same list, and then the Web browser (103) starts automatically and retrieves the selected product page along with its analysis data in a separate analysis data window (459). In this way, the user can examine the interesting product page and its analysis data more closely (460), and understand the effectiveness

5

of the product page and their components (461). If the user wants to review a different set of product pages, then he/she can use the user interface of the peruser program again to specify a new selection criteria for product pages (463).

Figure 5 (500) is a block diagram showing an analysis window of a product. A preferred embodiment of an analysis data set for a product comprises three parts: analysis data of the product (600), analysis data of the product page presenting the product (700), and analysis data of the components shown in the product page presenting the product (800).

Figure 6 (600) is a block diagram showing analysis data of a particular product. There are three different types of data that helps understand the performance of this product: a set of measures (602, 603, and 604) which are the object of measurement, a set of dimensions (601) which provides the context for the measurement data, and a set of supporting data (605). This figure shows two different types of measure data: count measures (602) and sales measures (604). The count measures include the number of basket placements, purchases and returns of this product, while the sales measures include the total sales value and profit in dollar amount. The derived measures (603) are one that can be computed from the basic count measures (602), and show the ratio among steps in the count measures. For example, the ratio of purchases to basket placements shows what percentage of basket placements are converted to purchases.

This figure (600) presents these measures in a context which is specified by the dimension data (601). That is, the presented measures are for a month, May 2000 (time dimension), for the entire customer set, not just one or two customer segments such as female customers (customer

5

dimension), for the promotion A which was campaigned in May 2000 (merchandising cue dimension), and for all types of shopping metaphors, not just browsing or search (shopping metaphor dimension).

Finally, this preferred embodiment (600) shows average price and average profit margin as example of supporting data (605). Average values are used for this data because pricing is often dynamically changing especially in online stores.

Analysis data shown in this figure (600) and the following Figures 7 (700) and 8 (800) is only a small subset of analysis data that can help online merchants and/or business analysts understand the effectiveness of individual products and product pages of their online store. Types of data presented in the analysis window are not limited by this subset described in this preferred embodiment. To cope with different analysis needs, different types of data such as product cost, inventory data, order fulfillment data, customer data, average length of stay in product pages, and types of effective design features (text, image, animation, font, size, color, and location in Web page) can be presented in the analysis data window (500). Also, presentation of the analysis data may use different forms to make the report easy to analyze and understand. Tables, data visualization such as graphs, and spreadsheets are a few possible examples.

Figure 7 (700) is a block diagram showing analysis data on a particular product page. Like the analysis data of a product, the analysis data of a product page comprises three different types of data: the dimension data (701), the measurements including the count measures (702), the derived measures (703) and sales measures (704), and the supporting data set (705). The dimension data

20

5

(701) and the supporting data (702) in this figure (700) are similar to their corresponding parts in the previous figure (600) and do not need further explanation.

The count measures of a product page comprises the number of impressions and clickthroughs (702). The product page impression is the view of hyperlink to the Web page presenting the product, while the clickthrough is the click on the hyperlink and view the Web page of the product. As in the previous figure (600), the derived measures (703) include ratio among various steps given in the count measures (602 and 702) of products and product pages. For example, the ratio of purchase to impression is the percentage of impressions of this product page converted to purchase. This measure is a useful to understand the effectiveness of hyperlinks of this product page shown in the online store. Similarly, the ratio of purchase to clickthrough is the percentage of impressions of this product page converted to purchase, and is a useful measure indicating the effectiveness of the product page. Sales measures (704) are the total sales value and profit in dollar amount generated through this particular product page.

Data presented in Figures 6 and 7 can be combined, especially when there is one-to-one mapping between product and product pages, i.e., a product page displays only one product and a product is presented in only one product page. In many online stores, this is not the case. A product page often displays more than one products. Also, a product is presented in more than one product page.

Figure 8 (800) is a block diagram showing analysis data on components of a product page. As explained earlier, a product page may provide various applications and hyperlinks in addition to

5

information directly related to the displayed product(s). This section (800) of the analysis data window (500) shows the analysis data of such applications and hyperlinks of product pages. Examples of applications provided in a product page include search service, registration, mail to friends service, and express checkout. Examples of hyperlinks provided in a product page include ones to related, recommended, and/or promoted products. Also, these applications and hyperlinks are associated with some Web design features such as media type (i.e., image or text), font (if text), size, color, and location. The analysis data presented in this section (800) is useful to understand the effectiveness of such Web design features. This figure (800) show analysis data of a couple of hyperlinks, one is a banner ad, and the other a cross-sell of a product. As for other analysis data set, this one comes with a dimension data set to give a context of the measurement data.

Figure 9 (900) is a block diagram showing a preferred embodiment of the product table comprising a number of product records (901), each of which consists of three parts: product identifiers (902), product attributes (903), and analysis data (904). The product identifier section (902) provides the product id number, product name, product category, UPC (Universal Product Code), model number, manufacturer, and the number of the Web page presenting this product. The product attribute section (903) shows various attributes of the product and their values. In this example, several attributes of a handheld computer are given including CPU, memory, battery, weight, color, price and profit margin. Finally, the analysis data section (904) provides data that are needed to generate the analysis data of a particular product (600). As explained earlier, the Web server (111) of an online store (110) will retrieve data from the product table (900) in the database (120) to generate product pages and portion of analysis data pages.

Figure 10 (1000) is a block diagram showing a preferred embodiment of the product page table comprising a number of product page records (1001), each of which comprises two parts: the product page data section (1002) and the component data section (1003). The product page data section (1002) provides the product page id number, product id number, and one or more count measures of the product page. The component data section (1003) comprises one or more components, each of which provides analysis of the component with the id number of the product page where the component is presented.

CLAIMS

I claim:

1. A computer interface to an online store comprising:

one or more product pages that have product information about one or more products, the product information obtained from the online store; and

an analysis data window that has analysis data about the effectiveness of the respective product page, the type of analysis data determined by a type of analyst that uses the interface and the analysis data window presented in proximity to the respective product page.

- 2. An interface, as in claim 1, where the type of analyst includes any one or more of the following: an administrator, a marketer, a merchandiser, a Web designer, a store owner of the online store, a system analyst, a product analyst, and a sales analyst.
- 3. An interface, as in claim 1, where the analysis data window further comprises any one or more of the following types of analysis data: analysis data on one or more products on the product page, analysis data on one or more of the product pages, and analysis data on one or more components of one or more of the product pages.

20

5

- 4. An interface, as in claim 1, where the analysis data window comprises analysis data on one or more products on the product page and the analysis data comprises any one or more of the following: one or more conversion rates, one or more count measure conversion rates, one or more derived measure conversion rates, one or more sales measures, one or more dimensions, one or more time dimensions, one or more customer dimensions, one or more merchandising cue dimensions, one or more shopping metaphors, one or more product category dimensions, one or more basket placement counts, one or more purchase counts, one or more return counts, a ratio of purchases to number of basket placements, a ratio of number of returns to number of purchases, a sales value, a profit, an average price, and an average profit margin.
- 5. An interface, as in claim 1, where the analysis data window comprises analysis data on one or more product pages and the analysis data comprises any one or more of the following: one or more conversion rates, one or more count measure conversion rates, a number of impressions, a number of clickthroughs, one or more derived measure conversion rates, a number of clickthroughs per number of impressions, a number of basket placements per number of clickthroughs, a number of purchases per number of basket placements, a number of purchases per number of impressions, a number of purchases per number of clickthroughs, one or more sales measures, one or more dimensions, one or more time dimensions, one or more customer dimensions, one or more merchandising cue dimensions, one or more shopping metaphors, one or more product category dimensions, one or more basket placement counts, one or more purchase counts, a sales value, a profit, an average price, and an average profit margin.
- 6. An interface, as in claim 1, where the product page is a web browser page.

- 7. An interface, as in claim 6, where one or more components of the product page is a hyperlink to one or more other product web pages.
- 8. A method, as in claim 7, where the components of Web page displaying the selected product are any one or more of the following: one or more products, product pages, hyperlinks, Web applications, and Web design features.
- 9. A method, as in claim 8, where the Web applications are one or more of search, shopping cart placement, registration, checkout, mail to friend, wish lists, gift registries, calendars, custom-configuration of products, buyer's groups, chatting, e-mail notification, and in-context sales.
- 10. A method, as in claim 8, where the Web design features are one or more of media type, font, size, color, and location.
- 11. A method of doing business over a network comprising the steps of:

providing one or more product pages that have product information about one or more products on a user interface, the product information obtained from an online store; and providing an analysis data window that has analysis data about the effectiveness of the respective product page, the type of analysis determined by a user that uses the interface and the analysis data window presented in proximity to the respective product page, the user being in a user class.

- 12. A method, as in claim 11, where the user class includes any one or more of the following: a
 5 customer, a merchant, a business analyst, a marketer, a merchandiser, an administrator, a
 programmer, and a Web designer.
 - 13. A method, as in claim 11, where the user is registered to the online store by the user's role in the store.
 - 14. A method, as in claim 11, where the product page is a web browser page.
 - 15. A method, as in claim 14, where the analysis data is presented in the analysis data window concurrently with and in proximity to the web browser page on the interface.
 - 16. A method, as in claim 15, where the analysis data window is produced by a software program that starts automatically when the user requests the web browser page of a selected product.
- 17. A method, as in claim 16, where the analysis data window software program automatically starts only when the user is a member of a selected user class which affiliates with the online store.

- 18. A method, as in claim 11, where the user class of the user making a request to the online store is identified by the store before the analysis data window is provided on the interface.
- 19. A method, as in claim 18, where the user class is examined by using a subfield of a "cookie" that is attached to the request.
- 5 20. A method, as in claim 11, further comprising a perusal step that automatically browses and filters a set of product pages and their analysis data based on a profile of the user.
 - 21. A method, as in claim 20, where the perusal step provides in the interface one or more criteria of filtering one or more product pages.
 - 22. A method, as in claim 21, where the criteria of filtering is based on any one or more the following: one or more attributes of the pages, one or more components of the pages, and one or more of the analysis data.
 - 23. A method, as in claim 20, where the product page perusal step automatically retrieves specified product pages and the respective analysis data from the online store.
- 24. A method, as in claim 20, where the product page perusal step parses the content of retrieved
 product pages and the respective analysis data, and selects product pages that meet one or more criteria given by the user.

- 25. A method, as in claim 20, where the product page perusal step creates a list of selected product pages that contains page name, analysis data summary, and hyperlink for each selected product page.
- 26. A method, as in claim 25, where the user can use the list of selected product pages created by
 the product page peruser program to manually examine product pages and their analysis data by using a web browser.

BUSINESS METHOD AND USER INTERFACE FOR PRESENTING BUSINESS ANALYSIS INFORMATION SIDE-BY-SIDE WITH PRODUCT PAGES OF AN ONLINE STORE

ABSTRACT

A computer interface to an online store is also used in a business method. The interface has one or more product pages that have product information about one or more products. The product information is obtained from the online store. An analysis data window is presented concurrently with and in proximity to the respective product page. The analysis data window has analysis data about the effectiveness of the respective product page. In a preferred embodiment, the type of analysis data is determined by a type (class) of analyst that uses the interface. A method of doing business uses the interface to determine the effectiveness of and improve various information presented on the product page.

Figure: A block diagram of one preferred system architecture

start

End F190Re 2

Eigure: A flow chart of a preferred business process

2/2

112/

The user makes a list of recommendations on the examined Web pages and their components to improve the effectiveness $|\mathcal{L}|$

The Web designers and developers of the online store implement the recommendations.





Figure 2x

Eigare: A flow chart of a preferred process of identifying user class



Eigate: An example of a prior art product catalog of an online store




Figure: A screen shot showing a product page with its data windów

*

1456 7 45.9 187 192 854 The user specifies a set of criteria for selecting product pages for peruse by using the user interface of the peruser program The peruser program reviews product pages and analysis data one by one, and selects ones that meet the given criteria. The peruser program creates a list of the selected product pages with their analysis data summary and hyperlinks. The user downloads one or more product pages from the list by using the hyperlinks given in the list. The user can easily understand the effectiveness of individual Web pages and their components. The peruser program downloads a set of product pages and their corresponding analysis data. The user can review the analysis data of the downloaded page which is downloaded together. A user who is a store's analyst starts the product page peruser program in his/her computer. The peruser program presents the created list to the user. The user reviews the created list of product pages.

しました

start

52/

Figure # 44

Еnd

Figure: A flow chart of a preferred process of automatically perusing multiple product pages





Figure: A block diagram'showing an analysis data window of a product

200/



Eigure: A block diagram showing data on a product

क्रांकुवारकः A block diagram Showing data on a product page Figure ?




Figure 4 block diagram showing data on components of a product page

4278 WorkPad Z42 Handheld Computer 831K84219 64W82719 IBM 78289	Pentium II ' 5 MB Alkaline 2/AAA 0.5 lb Dark Gray \$347	271,438 83,219 1,728 767 \$266,149 \$7,984
Product Identifiers Product Number Product Name Product Category UPC Model Number Manufacturer Product Page Number	Product Attributes CPU Memory Battery Weight Color Price Profit Margin	Analysis Data # of impressions # of clickthroughs # of basket placements # of purchases Sales Value Profit

Figure: A block diagram showing a product table

700/	7,003	***************************************	500/
78289 4278 271,438 83,219 1,728 767		. Banner Ad 73289 271,438 2,375 738 82	Promotion 79876 271,438 8,437 2,743 748
Product Page Data Product Page Number Product Number # of impressions # of clickthroughs # of basket placements # of purchases	Component Data	Component A Type Product Page Number # of impressions # of clickthroughs # of basket placements # of purchases	Component B Type Product Page Number # of impressions # of clickthroughs # of basket placements # of purchases

Figure / O Eigure : A block diagram showing a product page table

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

same as above Post Office Address

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

BUSINESS METHOD AND USER INTERFACE PRODUCT PAGES OF AN ONLINE STORE	CE FOR PRESENTING BUSINESS ANA	LYSIS INFORMATION SIDE-BY-SIDE WITH	
the specification of which (check	one)		
X is attached hereto.			
was filed on	as United States App	lication Number	
or PCT International Application	Number		
and was amended on	(if applic	able)	
		ats of the above identified specif:	ication, including
the claims, as amended by any ame	endment referred to above.		
I acknowledge the duty to disclos accordance with Title 37, Code of	e information which is mater Federal Regulations, Section	rial to the patentability of this and 1.56.	application in
Foreign application(s) for patent which designated at least one cot by checking the box, any foreign application, having a filing date with the control of t	or inventor's certificate, intry other than the United Sapplication for patent or in	ed States Code, \$119(a)-(d) or \$3 or \$365(a) of any PCT Internation tates, listed below and have also eventor's certificate, or PCT Interion on which priority is claimed:	al application identified below, rnational
Prior Foreign Application(s)			Priority Claimed
(Number)	(Country)	(Day/Month/Year Filed)	Yes No
(Number)	(Country)	(Day/Month/Year Filed)	Yes No
(Number)	(Country)	(Day/Month/Year Filed)	Yes No
	35 U.S.C. §119(e) of any Un	ited States provisional applicatio	n(s) listed below.
Application Number)	(Filing Date)	···	
(Application Number)	(Filing Date)		
material to the patentability of date of the prior application and (Application Serial No.)	this application as defined d the national or PCT intern (Filing Date)	112, I acknowledge the duty to dis in 37 CFR \$1.56 which occurred be ational filing date of this applic (Status) (patented, pend	etween the filing cation:
(Application Serial No.)	(Filing Date)	(Status) (patented, pend	ing, abandoned)
information and belief are belie that willful false statements an Section 1001 of Title 18 of the of the application or any patent	ved to be true; and further d the like so made are punis United States Code and that issued thereon.	nowledge are true and that all sta that these statements were made wi hable by fine or imprisonment, or willful false statements may jeopa	th the knowledge both, under ardize the validity
POWER OF ATTORNEY: As a named i this application and transact al registration number).	nventor I hereby appoint the l business in the Patent and	following attorney(s) and/or ager Trademark Office connected therev	nt(s) to prosecute vith (list name and
26,914), Edward A. Penning Redmond, Jr. (Reg. 18,753) 41,500), Stephen C. Kaufma Pergello (Reg. 33,206), Da	gton (Reg. 32,588), Joh , Douglas W. Cameron (an (Reg. 29,551), Danie avid M. Shofi (Reg. 39,	(35,082), Christopher A. H n E. Hoel (Reg. 26,279), Jo Reg. 31,596), Louis P. Herz l P. Morris (Reg. 32,053), 835), Robert M. Trepp (Reg. bogen (43,602) and Marian U	seph C. berg (Reg. Louis J. 25,933),
Send Correspondence to: Louis	J. Percello, Intellectual Prop	perty Law Dept.	
IBM_Cc	rporation, P.O. Box 218, Yo	rktown Heights, New York 10598	
Direct Telephone Calls to: (name	and telephone number) <u>Loui</u>	s J. Percello (914)945-3145	
Juhnyoung Lee Full name of sole or first	h incontor		
Manue of sole of first	TUACU COE	Sep. 28,	2000
Inventor's Signature		Date	
211 Treetop Lane, Yorkto Residence	own Heights, New York	10598	
Republic of Korea Citizenship			